Rocket Rumblings

Newsletter of the New England Oldsmobile Club

.....

Volume 12 Issue 1/2

WWW.NEOLDS.COM

Edited by Jim Schmitz

Jan/Feb 2006

Happy New Year! Good Bye 2005 and Hello 2006!

ell, by now the needles have fallen off the ol' Christmas tree (oops... perhaps I should say "Holiday tree"?). And the credit card bills will soon arrive to remind us of the fun we had this holiday season.

Hopefully that fun includes finding some restoration or speed parts hiding under the tree or hanging out of your stocking. I know that in between shoveling snow and enjoying (?) winter sports, laying on your back on the cold garage floor probably isn't high on anyone's list of favorite things!



NEOC's Annual Car Show can always be considered good "clean" fun!





With the demise of Oldsmobile, the prices of these collector cars is sky-rocketing! Who'd have thought an Oldsmobile would set the auction record?



Dates to remember

January 14th - Saturday 12 noon NEOC Mtg - Riley & Scranton Glastonbury, CT

January 21 & 22 - Autoparts Swap 'n Sell Eastern States Expo Center West Springfield, MA

February 4th - Saturday 11 AM NEOC Mtg - E & G Automotive Rumford, Rhode Island

March 2nd - Thursday 7 PM NEOC Mtg -

May ?? - Spring Drag Day Watch for details

June 28 - July 2 OCA Nationals Dallas, Texas

September 10 - Sunday NEOC Annual Car Show

Help Wanted

E & G Automotive

NOS / Used Oldsmobile Parts ANTIQOLDS@AOL.COM

Everett Horton 401-435-7139 Fax 401-435-5580 P.O. Box 16095 9 Newman Ave. Rumford, RI 02916

WANTED:

Oldsmobile enthusiasts in search of a bargain.

MUST POSSESS:

- Car, van, pickup, trailer or shopping cart to haul away your parts.
- Willingness to search through aisles and aisles of parts to find the perfect treasure.
- Some knowledge of what you desire (Everett can help you here as can many other members!).

QUALIFICATIONS:

- Must have strong back to carry parts (or gullible friends).
- Wallet with Cash (won't need much), check or credit card.

INTERVIEW:

 No Interview required, just show up ready to shop!

LOCATION and DATE:

- Saturday February 4th, 2006
- E&G Automotive

E & G Automotive

401-435-7139 Fax 401-435-5580 P.O. Box 16095 9 Newman Ave. Rumford, RI 02916

MOVING SALE!

The building I am in has been sold and will become Condo's, what else is new?

Right after our annual meeting at my place February 4th I will start the huge job of moving my collection of Oldsmobile parts. A lot of parts that have been hanging around will go out>>>>>. Now is the time to thin out. As you can tell by what I have up here I hate to throw things out. Here is your chance to get stuff cheap, real cheap. I will take cash, it want. The more you buy the better the price. The more you buy the less to move PLEASE!

It will be the same venue as in the past coffee and donuts will be there early and a table of eats will be there for lunch.

My new place is only a couple of miles away and is on the FIRST floor, a plus right there. Not as big as this place but acceptable. Not as much parking either but it will do.

Looking forward to seeing you all in February, bring a friend.

Everett E & G Automotive

2005 Memories (cont'd)

(Continued from page 1)

To help keep you warm, here are a few memorable moments from last year to keep you enthused about getting your pride and joy ready for next year. So get out there in your parka and start on those projects. Before you know it spring will be here and you'll be thrashing your car late nights for Dray Day or that first cruise night wondering how it snuck up on you so fast! **RR**



Club members are always ready to lend a hand. We had a whale of a good time this past summer!





Bored at Home?

o, you've been bored this winter? Why not pull together some of those spare parts and come up with something to top this!

December 1, 2005

If you're tired of anemic, one lung snowblowers with their slipping drive belts, you might consider Kai Grundt's V8 snow blower that raises the bar on the traditional snow blower in every respect. With electric start, electric block heater, antifreeze heater and eight cylinders, it has no drive belts to freeze up and you'll never get bored with the job as the 454 cubic inch big block Chevrolet produces 412 horsepower, 430 foot pounds of torque and can throw snow 50 feet at just 3500 rpm. Nor will you get cold as the machine has been ingeniously designed to route the engine coolant through the handle bars, with the rear mounted, enclosed radiator keeping the operator nice and cozy. **RR**



From the 3rd Bay

By Jim Schmitz What hits, what fits...

n our last episode, you may recall that our hero.... Oops sorry, wrong writing project. Last month we were trying to se just how much tire could be stuffed under the front and rear of a '70 A-body.


With replacing the stock wheels with 15 x 8", tire choices opened up tremendously. In the immortal words of Tim the Toolman "More Power" is a good thing and we need a way to get the power to the ground which usually takes us to that other cliché often used in many things automotive, "bigger is better". So, in trying to stuff the biggest tires under the front and rear of the Olds we get back to figuring out the clearances.

The stock 7" wide wheels had 4 3/8" of backspacing, when moving up to an 8" wide wheel, they were offered in 4 1/2" and 5" backspacing. I made a drawing for each combination to determine which would work best. These drawings are shown on the next page. One important note to remember is the wheel Width is measured from the inside of the lip where the bead seats to the other lip. This is not the outside dimensions. But Back**spacing** is the measurement from where the rim bolts to the hub or brake drum to the outside edge of the rim. If you measure a 14 x 7" rim outside to outside it measures about 8". So the bead area of the rim adds close to half an inch on each side.

When figuring distances, remember that the tire is centered on the wheel width, and the backspacing will just determine where that width sits in the wheelwell.

If we assume that the bead area of the rim adds approximately one half inch to the width of the wheel on each side, we see that the factory rims are mounted pretty close to the middle of the rim, only about 3/8" offset. In the attached drawings, starting at the top, I have shown the section width and the tread width. Then by drawing an imaginary line through the center of the tire and wheel, have sown the distance from the center to the edge of the sidewall. The center to the bead area and the offset of the mounting surface to the centerline.

On the bottom is the backspacing and then all these numbers were used to figure out how far the sidewall of the tire is from the mounting surface. This is what we will use to see if our tire clears.



Free labor is where you find it. I just hope he's still this willing to help when I'm old enough to **NEED** help!

In Illustration #1 I have laid out the measurements for the old tire and wheel combo. P245/60R14's on factory 14 x 7" wheels. The factory wheels have about 4.375" backspacing. Illustration #2 and #3 show the rear tires I wanted 295/50R15 on 15 x 8" wheels. The only difference is the backspacing. Illustration #2 has 4.5" and #3 has 5".


So you see, its not really that difficult. Just takes some measuring, and re-measuring (I did this several times to be sure) and then just taking the big step and ordering everything.


four corners.


When I

So in conclusion, here is what fit MY car;

- 15" x 8" wide rims at all (4) corners
- 295/50R15 Tires in the rear







CUSTOM Muffler of Enfield

23 Palomba Drive Enfield, CT Phone: 860-741-4344 Adrien Adam Manager/Owner custommuffler@snet.net TEL. 401-461-0600 FAX 401-781-1375 1-888-526-0900 www.sacchettiagency.com



SACCHETTI **CLASSIC** INSURANCE

RICHARD P. SACCHETTI Richard@sacchettiagency.com PO BOX 8230 845 POST RD. WARWICK, RI 02888

From the 3rd Bay (cont'd)

• 265/50R15 Front tires

When I say "fits my car" I mean it. With production tolerances and the possibility of a vehicle being in an accident, you need to measure first! Don't just take what fits mine and figure it will work on yours. When I was younger I had a '70 Cutlass that I put H60-14's on the rear (remember letter tire sizes?) and after a while I realized that the right rear was just slightly touching the undercoating and the left rear had 1/2"-3/4" of clearance! I ended up putting a spacer on the one side. Until that is, I bought the 245/60R14's that I just pulled off of the W-30!

One other item to keep in mind, my car has had the suspension rebuilt and all of the suspension and body bushings replaced. This could make a difference if you are just looking to slap bigger rubber on your car!

Front Tires



On the left is the new rubber, P265-50R15's on 15×8 " wide rims, on the right are the old P245-50R14's . When going this wide in the front, extra care is required to make sure the tires do not rub the suspension or frame when turning at both full compression and full extension. These fit well and I have not see any rubbing at all.

Rear Tires



On the left is the new rubber, P295-50R15's on 15 x 8" wide rims, on the right are the old P245-50R14's on the original Olds 14 x 7" Super Stock I wheels. The new tires really fill the wheel well nicely while still allowing clearance to avoid rubbing.

There are a few photos of the car with the old and new tires, ,you can see for yourself how much better they fill out the wheel wells! **RR**

Oliver

Autobody Co., Inc.

1519 Dwight Street Holyoke, MA 01040

Phone 413-532-9413

Fax 532 - 7218

Cutlass 442 W-30 New and Reproduction Parts for 1961-1977 Cutlass 442 1935-1975 Oldsmobile

Fusick

Automotive Products, Inc.

P.O. Box 655 22 Thompson Road East Windsor, Connecticut 06088

1-860-623-1589 Fax 1-860-623-3118

Directions To The Next Meeting

The **January meeting** will be held on Saturday the 14th at noon and will be hosted by Earl Bancroft at Riley & Scranton Service Center in Glastonbury, CT. The main topic of discussion will be the NEOC annual car show.

Riley & Scranton Service Center Glastonbury, CT 860-633-3669

From north and south on Interstate 91:

Take "Glastonbury/Putnam Bridge" Route 3 exit off of I 91 just south of Hartford.

Cross the bridge and bear right onto Route 2 East.

Take the Hebron Avenue exit. Turn right at end of ramp onto Hebron Avenue.

Turn right onto Main St. when Hebron avenue ends at stop sign.

Take immediate left onto Welles St.

Riley & Scranton Service center is on the left.

The **February meeting** will be hosted by Everett Horton on Saturday the 4th at 11 AM at E&G Automotive in Rumford, RI. As in the past, Everett will have a lunch table and of course his vast warehouse of Olds parts will be open for browsing.

E & G Automotive

From Connecticut: -Interstate 95 North to Providence.

- -Route 146 South to Providence or Route 6 east to Providence. All will lead to Route 195 East.
- -Once on Route 195E take exit 6 "Broadway" Take a right at end of exit.
- -Go to next red light and take a right onto Broadway. Go under the highway. Follow Broadway for about 3 miles.
- -At the 5th red light you will be at an intersection at the end of Broadway. Look for an empty lot on your right and several new homes on the left.
- -This is the end of Broadway and Newman Ave begins, E&G is in the large 5 story building thru the light on your right. Take a right and a left behind the building and go all the way around it until you see the post office and fire station, park in that area. The entrance is on the corner next to the chain link fence. E&G is located on the 3rd

March Meeting

We currently have an opening for a host home for our March meeting on Thursday March 2. If you are interested please contact one of the club officers before the next meeting!

Rocket Classifieds

Club members are entitled to ONE free 25 word ad per issue. There is no charge for name, addresses and phone numbers. Additional words ar 10 cents each. Insert a photograph for only \$5.00 Please submit ads by the 15th of the month. Written submissions are preferred.

Note: ads only run for 1 month, please renew monthly.

To submit a classified ad:

Email: Jim70442w30@aol.com

Snail mail: Jim Schmitz 860-379-5221

24 Pioneer Dr.

New Hartford, CT 06057 Please make checks payable to NEOC.

Wanted:

Creative minds.

Actually we really only need some ideas and a few photos. The newsletter would like to publish YOUR story. How you got your first car, or your current car, why you like Oldsmobiles. Why did you pick a specific model to restore. Any restoration tips you want to share with the rest of us?

You don't need to be Sam Clemmens, we can help put your story into words and can scan your photos for you as well!

Why not take a few minutes and see what interesting stories you might have to share! **RR**

New England Oldsmobile Club

Business Address:

372 Batchelor Street Granby, Ma 01033

413-467-3690 Email: dmr67442@aol.com

Membership Information:

77 West Dayton Hill Rd. Wallingford, CT 06492-5324 Email: gmorris01@aol.com

Newsletter Publication:

24 Pioneer Dr. New Hartford, CT 06057 860-379-5221 Jim70442w30@aol.com

Executive Board:

President - Steve Minore Vice President - Glenn Johnson Treasurer - Dave Richter Secretary - Bill LaPierre Membership Coordinator - Glen Morris Activities Coordinator - Open Position

Alderman

Cadillac - Oldsmobile

Oldsmobiles for only \$200 over invoice! See Scott Platt today

380 South Broad Street Meriden, Connecticut Meriden 235-1686 Hartford 724-7087 New Haven 562-0733

Riley & Scranton Automotive Service Center, Inc.

Earl Bancroft - Manager Shelly Bancroft - President

Complete Auto Repairs Foreign & Domestic

138 Welles St. Glastonbury, CT 06033 Phone 860-633-3669 Fax 860-659-8459

From:

New England Oldsmobile Club 24 Pioneer Dr. New Hartford, CT 06057 Place Stamp here

To:

«FirstName» «LastName»
«Address»
«City» «State»

«ZipCode»